



slab OR slice thickness zoom windowing workstation preference database -2004



Advanced Search

Preferences

Web Show options... Results 1 - 10 of about 343 for slab OR slice thickness zoom windowing workstation preference database -2004 -2005 -2006 -2007 -2008 -2009. (0.32 seconds)

1. [PDF] Philips Mx8000 IDT 16 CT Scanner

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The **Workstation** is a Philips- exclusive concept designed and developed in the close ... **Slice Thickness**: 0.6, 0.75, 1.5, 3.0 mm and Fused combinations – sequential high quality images tailored to individual diagnostics **preferences**. ... Images can be modified for **window** width and level, **zoom** and pan prior to ... www.catalinainaging.com/.../Philips_Mx8000_IDT_16_CT_Scanner_Details.pdf - [Similar](#)

2. [PDF] TeleRIS™ RPV

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Daily image production and application **database** back-up ... either on-line cache or to one or more PACS **workstations**. Protocol parameters include **Window**/level, **zoom**/pan, ... User-defined **thickness slab** re-sampling for rapid and ... Interactively defined **slice thickness**, spacing, field of ... www.thinairdata.com/docs/TeleRIS_RPV_DICOM_Features.pdf - [Similar](#)

3. [PDF] EQUIPMENT SPECIFICATION DETAIL Exhibit "A" CT-88 GE Lightspeed16 ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Each work surface can be adjusted to accommodate operator **preferences** and a wide variety of paging with increased **slice thickness** and MIP, as well as book marking Advantage **Windows Workstation 4.2P** with 2 LCD Monitors: ... 2P post-processing software platform, patient list, **database**, and DICOM networking ... www.dmsimg.com/.../17_CT88%20GE%20LightSpeed%2016%20Elec%20Equip%20Desc.pd... - [Similar](#)

4. 11th Annual Meeting of the European Society of Thoracic Imaging (ESTI)

data analysis assessed the agreement of observer **preference**. Results: Overall image quality of both al slices off a **workstation**. In the 36 patients each segmental with PAT (TE/TR/α: 0.8/1.9ms/40°; **slab thickness**: 160 mm; voxel mm **slice thickness**, 0.6 reconstruction interval, pitch of 13.5 ms, ... www.springerlink.com/index/MEXNJDJ874482023.pdf - [Similar](#)
by EE de Lange - 2003

5. Medical Image Format FAQ · Part 3

Otherwise the CTI will by **preference** send proprietary GE SOP Classes of the
window width A 312 - short - **window** center A 314 - short - **window** width B 316 of
these files off the RT-11 and on to a **workstation** or PC for conversion. 07-jan-17))

211 1 ISTHCK **Slice thickness**, mm. 212 1 ICALIB Calibration ...

www.dclunie.com/medical-image-faq/html/part3.html · [Cached](#) · [Similar](#)

6. [PDF] Geophysical Interpretation: From Bits and Bytes to the Big Picture ...

File Format: PDF/Adobe Acrobat

choice depends on personal **preference** and experience. Horizons shallower than
the **Slice thickness** is interactively controlled by the interpreter, and is usually
given time **window**, is a different measure of amplitude. ... **workstations**. 12. The
ability to see the data volume, to **zoom** and change perspective, ...

www.sib.com/media/services/resources/oilfieldreview/.../p23_31.pdf · [Similar](#)

by H James · [Cited by 1](#) · [Related articles](#) · [All 5 versions](#)

7. RasMol V2.6-beta-2 Reference Manual

RasMol may instructed not to display a graphics **window** by using the command
line If RasMol detects a 'dials box' attached to the user's **workstation**, RasMol
also recognises colours in the X server's colour name **database**. the **slab** mode in
MAGE is a true **slab**; **slab thickness** is controlled by the ...

www.umass.edu/microbio/rasmol/distrib/rasman.htm · [Cached](#) · [Similar](#)

8. filetitle=CHANGETHIS Traduction_date=20020803 translator_...

This option allows placing of the **database** on a shared drive of your
network so that

Correct this in the **preferences window** or contact
your ... machines (**Windows**, but also MacOS 9 and more, and some
workstations). level window_dicom_width=**Window** width
window_dicom_zoom=**Zoom** <1.3> ...

dicom.online.fr/frings/en/rename.lng · [Similar](#)

9. [PDF] Page 1 Workflow Oriented Hanging Protocols for Radiology_...

File Format: PDF/Adobe Acrobat · [View as HTML](#)

viewing mode, layout, **window** width and level (W/L) settings, **zoom** and sequence,
taking into account the possible difference in **slice thickness** (1-4) and the
preference for a general, multimodality **workstation** These studies can exceed the
2GB limit a process can address on a **Windows NT workstation**. ...

www.cs.sfu.ca/~stella/papers/2002/epie.hp.pdf · [Similar](#)

by A Moise · [Cited by 9](#) · [Related articles](#) · [All 6 versions](#)

10. [PDF] MacroModel User

File Format: PDF/Adobe Acrobat · [View as HTML](#)

and resized as desired using your **workstation's window** manager. ... but may be changed and saved to suit the user's **preferences**. All **windows** are Z-clipping **slab thickness** (controls separation of clipping planes) in the vicinity of the chosen atom (use the Control **Window ZOOM** feature to ...

www.chem.purdue.edu/computation/documents/User70.pdf - [Similar](#)



slab OR slice thickness zoom windowing workstation preference database -2004

Search

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)